compose.kerala.gov.in
egazette.kerala.gov.in
printing.kerala.gov.in

Regn.No. KERBIL/2012/45073
dated 2012-09-05 with RNI
Reg No.KL/TV(N)/634/2021-2023

കേരള സർക്കാർ
GOVERNMENT OF KERALA

കേരള ഗസറ്റ്
KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

PUBLISHED BY AUTHORITY

ചൊവ്വ, 2025 സെപ്റ്റംബർ 02
Tuesday, 02nd September 2025

1201 ചിങ്ങം 17
17th Chingam 1201

1947 ഭാദ്രം 11
11th Bhadra 1947

വാല്യം 14
Vol. XIV

നമ്പർ / **No.** **35**

Part III

Store Purchase

©
കേരള സർക്കാർ
GOVERNMENT OF KERALA
2025

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

ദർഘാസ് പരസ്യം

[നമ്പർ 07/2025]

നമ്പർ C2/2396/2025/GMCT. 2025 ആഗസ്റ്റ് 27.

തിരുവനന്തപുരം സർക്കാർ മെഡിക്കൽ കോളേജ് പീഡിയാട്രിക് നെഫ്രോളജി വിഭാഗത്തിലേക്ക് (SAT Hospital) Dialysis Consumables വാങ്ങുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനുമുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും പ്രിൻസിപ്പാൾ, സർക്കാർ മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിരിക്കുന്ന തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിദ്ധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകിക്കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താല്പര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്നപക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 4,15,000.

നിരതദ്രവ്യം—₹ 4,150.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 1,395 (₹ 1,245+150).

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 697.50.

ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—29-9-2025, 3 മണി.

ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—30-9-2025, 2.30 മണി.

ഫോറം തുറക്കുന്ന തീയതിയും സമയവും—30-9-2025, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2026.

സാധനങ്ങളുടെ പേര്—ഡയാലിസിസ് കൺസ്യൂമബിൾസ് (17 items).

യൂണിറ്റ്—എണ്ണം.

അളവ്—വിവിധങ്ങൾ.

Sl. No.	*Items*	*Specification*	*Quantity (In Nos.)*
1	Biopsy gum	18x10cm	5
2	Bleach Solution	Sodium hypochlorite (2-4%)	20 L Can
3	WBC filter/Leucofilter	Blood transfusion	10
4	Cut filter	Endotoxin filter for Hemodialysis Machine	10
5	Double lumen catheter	8.5Fr x 11 cm (Straight)	10
6	Double lumen catheter	8.5Fr x 11 cm (Curved)	10
7	Double lumen catheter	9Fr x 13 cm (Straight)	10
8	Double lumen catheter	10Fr x 13 cm (Straight)	10
9	Double lumen catheter	7Fr x 10 cm (Straight)	10
10	Double lumen catheter	8Fr x 11 cm (Straight)	10
11	Double lumen catheter	8Fr x 11 cm (Curved)	10
12	CAPD Fluid 2.5%	21 Bag	100
13	CAPD Fluid 1.5%	21 Bag	100
14	CAPD catheter	37.5cm	5
15	5 microne jumbo filter	20 inch string wound 5 micron filter for water treatment	12
16	5 microne slim filter	20 inch string wound 5 micron slim filter for water treatment	12
17	Biopsy Gun	18 x 16 cm	

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed. Manuscripts should be avoided as far as possible.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala Non-judicial Stamp Paper together with required sum of Earnest Money Deposit.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for, can be remitted by way of Crossed Demand Draft drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Cosumables, Disposables and Materials, samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenders.
15. Specifications of the items are given in the list.
16. Negotiation will be made only with the firm offering lowest price whose specification confirms to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representative who may present at the time. They should have valid authorisation letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.

Govt. Medical College,
Thiruvananthapuram.

(Sd.)
Principal.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

ദർഘാസ് പരസ്യം

[നമ്പർ 05/2025]

നമ്പർ സി2-2395/2025/ജി.എം.സി.റ്റി. 2025 ആഗസ്റ്റ് 27.

തിരുവനന്തപുരം സർക്കാർ മെഡിക്കൽ കോളേജ് ആശുപത്രി ഫാർമസി സ്റ്റോറിലേക്ക് വിവിധ അളവുകളിലുള്ള മെഡിസിൻ കവറുകൾ വാങ്ങുന്നതിന് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനുമുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും "പ്രിൻസിപ്പാൾ, സർക്കാർ മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം" എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിരിക്കുന്ന തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിദ്ധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകിക്കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്നപക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാൻഡ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 2,50,000.

നിരതദ്രവ്യം—₹ 2,500.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 840 (₹750+90).

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 420.

ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—25-9-2025, 3 മണി.

ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—26-9-2025, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—26-9-2025, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2026.

ക്രമ നമ്പർ	സാധനങ്ങളുടെ പേര്	യൂണിറ്റ്	അളവ്
1	Medicine cover (Printed) (13 cm x 9 cm) Blue Colour	എണ്ണം	150000
2	Medicine Cover (Printed) (10 cm x 16 cm) Blue Colour	എണ്ണം	110000
3	Medicine Cover (Printed) (13 cm x 9 cm)	എണ്ണം	600000
4	Medicine Cover (Printed) (12 cm x 15 cm)	എണ്ണം	400000

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെൻഡർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ, നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.

TENDER SCHEDULE

1. The period for which the rates to be in the firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed.

   Manusripts should be avoided as far as possible.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-Judicial Stamp Paper together with required sum of Earnest Money Deposit.
7. Earnest Money Deposit (one percentage) of the total cost of the articles quoted for, can be remitted by way of Crossed Demand Draft drawn in favour of the Principal, Govt. Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Consumables, Disposables and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiation will be made only with the firm offering lowest price whose specification conforms to the requirements in the Tender Notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letter.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.

Govt. Medical College, (Sd.)
Thiruvananthapuram. *Principal.*

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

ദർഘാസ് പരസ്യം

[നമ്പർ 04/2025]

നമ്പർ C2/2380/2025/GMCT. 2025 ആഗസ്റ്റ് 27.

തിരുവനന്തപുരം സർക്കാർ മെഡിക്കൽ കോളേജ്, പീഡിയാട്രിക് കാർഡിയോളജി വകുപ്പിൽ കൺസ്യൂമബിൾസ് (Mullins Sheath-various measures) വാങ്ങുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും പ്രിൻസിപ്പാൾ, സർക്കാർ മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം എന്ന വിലാസത്തിൽ അയക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിരിക്കുന്ന തീയതികളിലും, സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിദ്ധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാൻഡ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 3,36,000

നിരതദ്രവ്യം—₹ 3,360

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 1,129 (₹1008 + ₹121)

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 564.50

ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—25-9-2025, 3 മണി

ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—26-9-2025, 2.30 മണി

ഫോറം തുറക്കുന്ന തീയതിയും സമയവും—26-9-2025, 3 മണി

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2026.

ക്രമ നമ്പർ	സാധനങ്ങളുടെ പേര്	യൂണിറ്റ്	അളവ്
1	Mullins Sheath (6F)	എണ്ണം	10
2	Mullins Sheath (7F)	എണ്ണം	10
3	Mullins Sheath (10F)	എണ്ണം	8
4	Mullins Sheath (12F)	എണ്ണം	8

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെണ്ടർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പലിൽ നിക്ഷിപ്തമായിരിക്കും.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

TENDER SCHEDULE

1. The period for which the rates to be in firm—One Year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed. Manuscripts should be avoided as far as possible.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala Non Judicial Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposit (One Percentage) of the total cost of the articles quoted for, can be remitted by way of crossed Demand Draft drawn in favour of the Principal, Govt. Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Consumables Disposables and Materials, sample should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiation will be made only with the firm offering lowest price whose specification conforms to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representative who may present at the time. They should have valid authorization letters.
18. More details can be had from this Office on working hours.
19. Amount quoted should be in Indian Rupees.

Govt. Medical College, (Sd.)
Thiruvananthapuram. *Principal.*

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

ദർഘാസ് പരസ്യം

നമ്പർ സി. ഡി. 181/2025-26. 2025 ആഗസ്റ്റ് 19.

കാസറഗോഡ് ജില്ലയിലെ ആദൂർ, ഗാളിമുഖ കാഷ്യൂ പ്രോജനി ഓർച്ചാർഡിൽ 2025-26 വർഷത്തിൽ നടീൽ വസ്തുക്കൾ ഉൽപ്പാദിപ്പിക്കുന്നതിന് താഴെ വിവരിച്ചിരിക്കുന്ന പ്രകാരമുള്ള Polythene items സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ഇനം	വിവരണം	അളവ്
1	പോളിത്തീൻ ബാഗ്	20X15 സെ.മീ. 250 ഗേജ് (Black)	1200 കി.ഗ്രാം
2	പോളിത്തീൻ കവർ	20X3 സെ.മീ. (pepsi)	220 കി.ഗ്രാം
3	പോളിത്തീൻ ഷീറ്റ്	300 ഗേജ് (Transparent)	400 കി.ഗ്രാം
4	പോളിത്തീൻ ഷീറ്റ്	100 ഗേജ് (Transparent)	150 കി.ഗ്രാം

അടങ്കൽ തുക—₹ 3,35,000.

നിരതദ്രവ്യം—₹ 6,700 (എസ്. ബി. ഐ. കാസറഗോഡിൽ മാറാവുന്ന ഡി. ഡി.)

ദർഘാസ് ഫോറത്തിന്റെ വില—₹ 670 + GST (12%)= ₹ 751.

ദർഘാസ് ഫോറം ലഭിക്കുന്ന അവസാന തീയതിയും സമയവും—11-9-2025, 3 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—12-9-2025, 12 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—12-9-2025, 3 മണി.

നിബന്ധനകൾ

1. ദർഘാസ് ഫോറത്തോടൊപ്പം ₹ 200-ന്റെ മുദ്രപത്രത്തിൽ പ്രാഥമിക സമ്മതപത്രം സമർപ്പിക്കേണ്ടതാണ്. അതോടൊപ്പം പോളിത്തീൻ ഇനങ്ങളുടെ മാതൃക അടക്കം ചെയ്യേണ്ടതാണ്.
2. അംഗീകരിക്കപ്പെട്ട കരാറുകാരൻ നിരതദ്രവ്യം ഉൾപ്പെടെ 5% തുക സെക്യൂരിറ്റി ഡെപ്പോസിറ്റ് അടയ്ക്കേണ്ടതാണ്.
3. ദർഘാസ് അംഗീകരിച്ചുകഴിഞ്ഞാൽ കരാറുകാരൻ അന്തിമമായി ₹ 200-ന്റെ മുദ്രപത്രത്തിൽ മറ്റൊരു സമ്മതപത്രം സമർപ്പിക്കേണ്ടതാണ്.
4. ദർഘാസ് അംഗീകരിച്ച് 10 ദിവസത്തിനകം സാധനങ്ങൾ ഈ ഓഫീസിൽ സ്വന്തം ഉത്തരവാദിത്വത്തിൽ എത്തിച്ചുതരേണ്ടതാണ്.
5. ഏതെങ്കിലും കാരണത്താൽ ദർഘാസ് അവധി ദിനമായാൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം ദർഘാസ് നടത്തുന്നതാണ്. ദർഘാസ് കാരണമറിയിക്കാതെ റദ്ദാക്കുവാനോ മാറ്റിവെക്കുന്നതിനോ ഉള്ള അധികാരം താഴെ ഒപ്പിട്ടയാളിൽ നിക്ഷിപ്തമാണ്.
6. സർക്കാർ ടെണ്ടറുകൾക്കുള്ള എല്ലാ നിബന്ധനകളും ഇതിന് ബാധകമാണ്.

കൂടുതൽ വിവരങ്ങൾ കാഷ്യൂ ഡെവലപ്പ്മെന്റ് ഓഫീസിൽ നിന്ന് ലഭിക്കുന്നതാണ്.

കശുമാവ് വികസന ആഫീസറുടെ കാര്യാലയം, (ഒപ്പ്)
കാസറഗോഡ്. കശുമാവ് വികസന ഓഫീസർ.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

ഇ-ദർഘാസ് പരസ്യം

(1)

നമ്പർ ADFW/9457/2023-TGII (2). 2025 ആഗസ്റ്റ് 20.

ഇ-ദർഘാസ് നമ്പർ—2025_ AGRI_783862_1.

സാധന സാമഗ്രികളുടെ പേരും എണ്ണവും—വെർട്ടിക്കൽ ആക്സിയൽ ഫ്ളോ പമ്പ് സെറ്റ്—68 എണ്ണം.

ദർഘാസ് ഫോറത്തിന്റെ വില—₹ 1,96,100 + ₹ 35,298 (18% GST paid directly to GST Department).

നിരതദ്രവ്യം—₹ 9,80,500.

ഇ-ദർഘാസ് പ്രസിദ്ധീകരിക്കുന്ന തീയതിയും സമയവും—20-8-2025, 6 മണി.

ഇ-ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—20-9-2025, 3 മണി.

ഇ-ദർഘാസ് തുറക്കുന്ന അവസാന തീയതിയും സമയവും—22-9-2025, 11 മണി.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

(E-tender ID: 2025_AGRI_783862_1)

No. ADFW/9457/2023-TG-II(2*)* *12th August 2025.*

Notice inviting E-tender for the supply, installation, trial run and commissioning of Vertical Axial Flow (Non-Submersible) pump sets-68 Nos. under NABARD RIDF XXX - Replacement of Petty para with Energy efficient pump-sets for dewatering paddy fields in Alappuzha, Kottayam and Pathanamthitta districts of Kerala with prime mover, delivery line, panel board and all other accessories.

On behalf of Governor of Kerala E-tender in two cover system is invited from manufacturers or their authorized dealers or authorized distributors or authorized suppliers for the supply, installation, trial run and commissioning of Vertical axial flow pump-sets (Non-Submersible) and all other accessories with the following specification: by the Director of Agriculture, Kerala.

Supply erection, testing and commissioning of Vertical Axial Flow pump set (Non-Submersible) for various padashekarams of Alappuzha, Kottayam and Pathanamthitta District with the specifications listed below:

Suitable for handling saline and silty water with rpm 1000 (Syn) or less. The material of construction of flange, suction bell, bowl, shroud shall be CI with 2% Nickel, impeller, shaft, shaft sleeve, fastener and suction pipe shall be of SS 304. Delivery pipe should be in SS 304 with minimum thickness 6 mm and of suitable length (varies from 4-10 m) or as per site condition. The prime mover of the pump is to be 3 phase TEFC squirrel cage induction motor of reputed make operating at 415V +/- 10%, 50 Hz +/- 5% connection with F class insulation, control panel must have dust and vermin proof vertical mounted cubical type panel board of reputed make with FCMA soft starter of reputed make, MCCB including phase failure protection, surge protection device, dry run protection, overload over current protection, thermal over load protection relay, earth fault relay, voltmeter, ammeter, fault indication start and stop switches and power factor correction capacitor etc. Wiring and earthing should be as per regulations of KSEB and electrical inspectorate. Separate cubical type energy meter panel with CT metering provision including 4 Pole FN type isolator, RCCB, HRC fuses and carrier. Suitable size Copper cable for connection from electric post to meter box and meter panel to motor control panel etc. should be fitted at site, with proper earthing. Cable termination should be as per the regulations and specifications of KSEB and Electrical Inspectorate standards.

Screen with 6mm GI welded mesh with 50mm x 50mm opening size (about 20 sq.m area) framed in GI angles and GI tubes fitted at the opening on top and sides of sump to prevent entry of unwanted materials to the pump through inflow water. Proper I-section should be provided for supporting the motor mountings and pedestal. Suitable chain block and tripod facilities to be provided for lifting the motor at least 1.00 m above maximum flood level.

Rate quoted should be inclusive of all the charges for supply, installation including trial run and commissioning, all types of transportation and conveyance, loading and unloading charges, charges for factory testing, but excluding GST etc.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

Sl No.	Connected Load (hp)	Duty Point (m)	Discharge (lps)	Minimum Overall Efficiency at Duty Point (%)	Alappuzha	Kottayam	Pathanamthitta
1	15	3.0	266	70	6	0	0
2	20	2.0	532	70	0	2	0
3	20	3.0	354	70	14	0	8
4	25	3.0	443	70	10	0	0
5	30	3.0	532	70	5	0	0
6	40	2.0	1064	70	0	1	0
7	40	3.0	709	70	3	1	0
8	50	2.0	1330	70	0	6	0
9	50	3.0	886	70	9	0	0
10	60	2.0	1596	70	0	1	0
11	60	3.0	1064	70	2	0	0
	Total				49	11	8

In accordance with respective specification as shown in the tender documents, the tender is to be submitted as e-tenders through etenders.kerala.gov.in. Since this is an online process only those bidders who have enrolled in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender. E tender document and other details can be obtained from the above portal. Details of locations of proposed installation and power availability at sites are appended.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

EMD (online payment)–₹ 9,80,500

Tender Fee (online payment + GST payment)–₹ 1,96,100 + ₹ 35,298 (18% GST paid directly to GST department)

Document sale start date and time–20-8-2025, 6 p. m.

Bid Submission start date and time–20-8-2025, 6 p. m.,

Last date and time of receipt of e-tender–20-9-2025, 3p. m.,

Date and time of opening of technical bid–22-9-2025, 11 a. m.

Date up to which the rate is to remain firm for acceptance–120 days

Performance security–5 % of quoted amount

Period of completion–12 months

Bidders shall remit the tender document fee and EMD using the online payment option of e-procurement system. GST for tender fee should be paid separately and the Chelan must be uploaded with the bid document.

Scanned copy of the preliminary agreement in the prescribed format in Kerala Stamp paper worth Rs.200 should be submitted online and original to the undersigned before the opening of e-tender. The rate should be quoted in Indian Currency only. The rules and regulation prescribed for e-tenders by the Govt. of Kerala shall be applicable to this e-tender also. Tenders will be opened online in the presence of such bidders or their authorized representatives who have logged in at the prescribed time of opening. If the date fixed for opening happens to be a holiday or due to net failure, the tenders will be opened in the next working day at the same time.

In the bid, the following documents should be submitted by online.

1. BOQ duly filled uploaded in the e-tender portal.
2. Technical data sheet duly filled up and signed.
    a. If any more information to be furnished, separate data sheet shall be attached for additional information.
    b. Scanned copy of performance curve etc. should be attached.
3. E-payment form duly filled and signed.
4. Proof of original manufacturer/authorized dealers/distributor/supplier (copy of authorization letter).
5. Scanned copy of preliminary agreement executed in Kerala Stamp Paper worth ₹ 200
6. EMD exemption certificate (if any) should be submitted online
7. Form No.14 duly filled and signed
8. Tender Notice and Special condition of Tender duly signed
9. Schedules of rates for spare parts and services.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

10. AMC for a period of ten years.
11. Experience Certificates
12. Proof of payment of GST amount of tender fee

General Requirements:

1. The efficiency of the pumping unit supplied shall be as high as practicable, consistent with the best modern design.
2. The pump set shall be capable of operating in open conditions in the range without being overloaded at any point with a margin of at least 10% of power in the motor pump set over entire operating range.
3. The pump set characteristics shall be of stable nature such that the efficiency is fairly steady for the water level variations. The maximum efficiency point will be nearer to the duty point and fairly constant for larger range on either side. The pump sets should run smoothly over the entire operating range without cavitations and vibration. The variation in the efficiencies for any point of operation in the entire operating range should be minimum.
4. The pump set shall be suitable for pumping of raw/brackish/saline water containing silt, coarse sand and gravel/suspended solids up to 50 mm size.
5. The pump set shall be suitable for non-stop continuous 24 hours operation without interruption.
6. The pump set shall be Axial Flow type with fixed blade angle according to the type used. The pump sets shall be comprised of suction bell mouth pump casing, impeller and motor on single common shaft, long life anti friction bearing (drive and non driving end) oil chamber with mechanical seals etc.
7. The supplier shall furnish the following documents:
    a. Final constructional drawings of the pump set.
    b. Operation, maintenance and spare parts manual for pump set.
    c. Weight of pump set and required minimum crane capacity.
    d. Material of casting certificate for pump components.
8. The pump set manufacturer has to declare the performance parameters separately as Guaranteed Performance Parameters. These shall include discharge, pump set efficiency and overall efficiency.
9. The manufacturer has to provide technical data as given in Annexure - I declaration of the product offered for the product they have quoted.
10. Bidders are permitted to submit only one make and model for each item. Quoting

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

more than one make and model for a single item will result in the rejection of the technical bid.

Special Conditions

1. The firm must have a minimum of two years of experience in similar types of work.
2. The basic rate quoted should be inclusive of all charges for supply, installation, trial run, commissioning, transportation, handling charge, etc., but excluding GST. Prevailing GST rate at the time of procurement will be applicable separately.
3. The firm has to supply the items at the location specified or as per direction from the undersigned.
4. The successful bidder will be bound to supply the items as per the requirement of the Tender Inviting Authority (TIA).
5. The bidders can quote, for all/any/some of the items as per their choice, but the cost of tender form and EMD remains the same.
6. Bidder has to pay the GST portion of tender fee directly to GST Department and upload the Challan in the portal and also submit along with the hardcopy of tender documents.
7. The Bidder should specify the Make and Model of pump set quoted.
8. The bidder must provide authorization letter (manufacturer/dealer/distributor/supplier) from the manufacturer.
9. The supplier should confirm the repair and service facilities, availability of spare parts etc. of the items supplied for a minimum period of 10 years. The selected bidder should attend the pump set and rectify the trouble within 48 hours in case of registration of complaints.
10. The successful bidder receiving a supply order for 20 or more pumps shall establish a fully-fledged service centre in the Kuttanad region of Kerala within 180 days from the date of issue of the supply order.
11. The successful bidder shall arrange insurance for the supplied pumps against natural calamities and accidental damages and bear the annual premiums for the first three years. Thereafter, the respective Padashekhara Samithi receiving the pumps shall bear the subsequent premiums.
12. The most competitive cost of the AMC shall be quoted by the bidders for a period of 10 years, and the firm shall be bound to execute AMC contracts with the respective Padashekhara Samithi, if required.
13. Schedules of rates for spare parts and services should be submitted along with the bid documents.
14. Training programmes in operation and minor repair should be arranged for selected pump operators and Padasekhara Samithi members (three times the number of pump sets supplied) and training programme on repair and maintenance should be arranged for selected technical persons (number equal to the number of pumpsets supplied) by the supplier at their own cost.
15. All pump set shall be subjected to performance test as per IS 9137 at manufacturer's work for different head, discharge and efficiency in presence of tender inviting authority or authorized persons.
16. The Tender Inviting Authority reserves the right to order full quantity of supply to any one bidder or distribute the supply to different bidders as per decision of the technical committee constituted for the purpose.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

17. The successful bidder will have to execute an agreement in Kerala Stamp Paper worth ₹ 200 in prescribed form and manner and to furnish the required security amount @ 5% of total quoted amount within 14 days of the receipt of selection notice. The security deposit will be disbursed within 28 days after the successful completion of the Defect Liability Period of three years.
18. Tenders, incomplete in any respect, will be summarily rejected and the decision of the TIA will be final.
19. The Supply, installation, testing, trial run and commissioning should be completed within 365 days on receipt of the supply order.
20. Satisfactory completion certification should be submitted for each installation from electrical inspectorate.
21. Bidders should be prepared to do necessary civil construction works associated with the installation, if any required, such as Panel board fixing, pump house floor concreting, providing support to delivery pipe, cleaning of parakkuzhy if required, etc. within the quoted amount.
22. Bidders are advised to visit the location of proposed installations before quoting.
23. The payment shall be released only after satisfying the quantity, quality and specifications of the items supplied and successful commissioning and trial run of the item supplied by the bidder and inspection of the technical committee constituted for the same.
24. A minimum warranty period of three years is to be assured for all the pump-sets and the items supplied and the details of AMC thereafter, for period of seven years should be mentioned along with the tender documents.
25. All annexures should be duly filled and uploaded with the tender.
26. Any legal disputes that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

Communications to be addressed to:

The Director of Agriculture
Agriculture Development and Farmers Welfare Department, Vikas Bhavan,
Thiruvananthapuram, Kerala, PIN : 695 033
saekerala@gmail.com

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

(2)

നമ്പർ ADFW/9457/2023-TGII (2). 2025 ആഗസ്റ്റ് 20.

ഇ-ദർഘാസ് നമ്പർ—2025_ AGRI_783854_1.

സാധന സാമഗ്രികളുടെ പേരും എണ്ണവും—സബ്മേഴ്സിബിൾ ആക്സിയൽ ഫ്ളോ പമ്പ് സെറ്റ്—14 എണ്ണം.

ദർഘാസ് ഫോറത്തിന്റെ വില—₹ 13,300 + ₹ 2,394 (to GST Department).

നിരതദ്രവ്യം—₹ 66,500.

ഇ-ദർഘാസ് പ്രസിദ്ധീകരിക്കുന്ന തീയതിയും സമയവും—20-8-2025, 6 മണി

ഇ-ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—20-9-2025, 3 മണി

ഇ-ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—22-9-2025, 11 മണി.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

(E Tender ID: 2025_AGRI_783854_1)

No. ADFW/9457/2023-TG-II(2) *12th August 2025.*

Notice inviting E-tender for the supply, installation, trial run and commissioning of Submersible Axial Flow Pump sets-14 Nos. under the NABARD RIDF XXX—Infrastructure development works for the Replacement of Petty and Para with Energy Efficient Pumps for De-watering Kuttanad Paddy Fields of Alapppuzha, Kottayam and Pathanamthitta Districts of Kerala with prime mover, delivery line, panel board and all other accessories.

On behalf of Governor of Kerala E-tender in two cover system is invited from manufactures or their authorized dealers or authorized distributors or authorized supplier for the supply, installation, trial run and commissioning of submersible axial flow pump sets and all other accessories with the following specification.

Supply of submersible axial flow pump with following duty criteria, with necessary fittings and couplings. The material of construction of impeller should be Bronze, and that of pump body is Cast Iron Alloy, pump shaft/shaft sleeve SS410. The prime mover for the pump should be a 3 phase TEWC squirrel cage submersible induction motor of rpm not higher than 1500(syn) suitable for 415V+/- 10%, 50 Hz+/- 5% connection with Class F insulation Suitable for handling silty, fresh and salty water.

Cubicle type readymade panel board of reputed make (L&T / Siemens / ABB) with Fully-Automatic-Star-Deltastarter, Voltmeter, Ammeter, MCCB, RCCB, ELCB, Single phase preventer, dry run preventer, Three Phase Voltage Monitoring Relay, Phase Sequence Protector, RYB indication lamp with suitable control etc. Electrical Connection, earthing and panel board should be as per the norms of KSEB/ Electrical Inspectorate. The supply should include flexible delivery hose of 10 to 12 m length suitable to the proposed pump outlet, flanges be supplied as per site requirement, Base frame, coupling, coupling guard, flanges, necessary cables and wiring, suited for the pump in the location. Suitable size waterproof copper power cable, 20 m or as per site condition.

GI weld mesh made of 6mm thick with metallic strainer of mesh size not more than 50mm x 50mm should be fitted at the mouth of the suction column. Any hanging portion of the pipe should be supported with suitable metallic supporting frames.

The rate quoted should be inclusive of all the supply and installation and commissioning at the site and all type of transport and conveyance, loading and unloading charges, civil, mechanical electrical works for fixing of motor pump-set and foundation works for fixing pump and bolts etc. All installation should meet the KSEB & Electrical Inspectorate requirement. Contractor should submit completed electrical drawings for connection requirements and obtained Compliance Certificate from Electrical Inspectorate.

Supply, installation, testing, trial run and commissioning of Submersible Axial Flow Pump-set for various padashekarams of Pathanamthitta district with the specifications listed below:

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

Sl No.	Connected load (hp)	Head (m)	Discharge (lps)	Minimum overall efficiency at duty point (%)	Quantity (No)
1	10	5.0	75	60	14

In accordance with respective specification as shown in the tender documents, the tender is to be submitted as e-tenders through https://etenders.kerala.gov.in/. Since this is an online process only those bidders who have enrolled in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender. E tender document and other details can be obtained from the above portal. Details of locations of proposed installation and power availability at sites are appended.

EMD (online payment)—₹ 66,500

ADFW/9457/2023-TG-I(2) /427662/2025.

Tender Fee (online payment + GST payment)— ₹ 13,300 + 2394 (to GST department)

Document sale start date and time— 20-8-2025, 6.00 p. m.

Bid Submission start date and time—20-8-2025, 6.00 p. m.

Last date and time of receipt of e-tender—20-9-2025, 3.00 p. m.

Date and time of opening of technical bid—22-9-2025, 11.00 a. m.

Rate upto which the rate is to remain firm for acceptance—120 days

Performance Security—5% of quoted amount

Period of Completion—12 months

Bidders shall remit the tender document fee and EMD using the online payment option of e-procurement system. GST for tender fee should be paid separately, and the Chelan must be uploaded with the bid document. Scanned copy of the preliminary agreement in the prescribed format in Kerala Stamp paper worth Rs.200/- should be submitted online and original to the undersigned before the opening of e-tender. The rate should be quoted in Indian Currency only. The rules and regulation prescribed for e- tenders by the Govt. of Kerala shall be applicable to this e-tender also.

Tenders will be opened online in the presence of such bidders or their authorized representatives who have logged in at the prescribed time of opening. If the date fixed for opening happens to be a holiday or due to net failure, the tenders will be opened in the next working day at the same time.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

In the bid, the following documents should be submitted online:

1. BOQ duly filled and uploaded in the e-tender portal.

2. Technical data sheet duly filled up and signed.
   a) If any more information to be furnished, separate data sheet shall be attached for additional information.
   b) Scanned copy of performance curve etc. should be attached.

3. E-payment form duly filled and signed.

4. Proof of original manufacturer/authorized dealers/distributor/ supplier (copy of authorization letter).

5. Scanned copy of preliminary agreement executed in Kerala Stamp Paper worth Rs. 200

6. EMD exemption certificate (if any) should be submitted online.

7. Form No.14 duly filled and signed.

8. Tender Notice and Special condition of Tender duly signed.

9. Schedules of rates for spare parts and services.

10. AMC for a period of ten years.

11. Experience Certificates.

12. Proof of payment of GST amount of tender fee.

General Requirements

1. The efficiency of the pumping unit supplied shall be as high as practicable, consistent with the best modern design.

2. The pump set shall be capable of operating in open conditions in the range without being overloaded at any point with a margin of at least 10% of power in the motor pump set over the entire operating range.

3. The pump set characteristics shall be of stable nature such that the efficiency is fairly steady for the water level variations. The maximum efficiency point will be nearer to the duty point and fairly constant for a larger range on either side. The pump sets should run smoothly over the entire operating range without cavitations and vibration. The variation in the efficiencies for any point of operation in the entire operating range should be minimum.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

4. The pump set shall be suitable for pumping of raw/brackish/saline water containing silt, coarse sand and gravel/suspended solids up to 50 mm size.

5. The pump set shall be suitable for non-stop continuous 24 hours operation without interruption.

6. The pump set shall be Axial Flow type with fixed blade angle according to the type used. The pump sets shall be comprised of suction bell mouth pump casing, impeller and motor on single common shaft, long life anti-friction bearing (drive and non-driving end), oil chamber with mechanical seals etc.

7. The supplier shall furnish the following documents:
    a. Final constructional drawings of the pump set.
    b. Operation, maintenance and spare parts manual for pump set.
    c. Weight of pump set and required minimum crane capacity.
    d. Material of casting certificate for pump components.

8. The pump set manufacturer has to declare the performance parameters separately as Guaranteed Performance Parameters. These shall include discharge, pump set efficiency and overall efficiency.

9. The manufacturer has to provide technical data as given in Annexure - I declaration of the product offered for the product they have quoted.

10. Bidders are permitted to submit only one make and model for each item. Quoting more than one make and model for a single item will result in the rejection of the technical bid.

Special Conditions

1. The firm must have a minimum of two years of experience in similar types of work.

2. The basic rate quoted should be inclusive of all charges for supply, installation, trial run, commissioning, transportation, handling charge, etc., but excluding GST. Prevailing GST rate at the time of procurement will be applicable separately.

3. The firm has to supply the items at the location specified or as per direction from the undersigned.

4. The successful bidder will be bound to supply the items as per the requirement of the Tender Inviting Authority (TIA).

5. The bidders can quote, for all / any / some of the items as per their choice, but the cost of tender form and EMD remains the same.

6. Bidder has to pay the GST portion of tender fee directly to GST Department and upload the Chelan in the portal and also submit along with the hardcopy of tender documents.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

7. The Bidder should specify the Make and Model of pump set quoted.

8. The bidder must provide authorization letter (manufacturer / dealer / distributor / supplier) from the manufacturer.

9. The supplier should confirm the repair and service facilities, availability of spare parts etc. of the items supplied for a minimum period of 10 years. The selected bidder should attend the pump set and rectify the trouble within 48 hours in case of registration of complaints.

10. The successful bidder shall arrange insurance for the supplied pumps against natural calamities, accidental damages and pay the annual premiums for the first three years. Thereafter, the respective Padashekhara Samithi receiving the pumps shall bear the subsequent premiums.

11. A minimum warranty period of three years is to be assured for the pump-set and all the items supplied and most competitive cost of the AMC shall be quoted by the bidders for a period of 12 years, and the firm shall be bound to execute AMC contracts with the respective Padashekhara Samithi, if required.

12. Schedules of rates for spare parts and services should be submitted along with the bid documents.

13. Training programmes in operation and minor repair should be arranged for selected pump operators and Padasekhara Samithi members (three times the number of pump sets supplied) and training programme on repair and maintenance should be arranged for selected technical persons (number equal to the number of pump-sets supplied) by the supplier at their own cost.

14. All pump set shall be subjected to performance test as per IS 9137 at manufacturer's factory/place for different head, discharge and efficiency in presence of tender inviting authority or authorized persons.

15. The Tender Inviting Authority reserves the right to order full quantity of supply to any one bidder or distribute the supply to different bidders as per decision of the technical committee constituted for the purpose.

16. The successful bidder will have to execute an agreement in Kerala Stamp Paper worth Rs. 200 in prescribed form and manner and to furnish the required security amount @ 5% of total quoted amount within 14 days of the receipt of selection notice. The security deposit will be disbursed within 28 days after the successful completion of the Defect Liability Period of three years.

17. Tenders, incomplete in any respect, will be summarily rejected and the decision of the TIA will be final.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

18. The Supply, installation, testing, trial run and commissioning should be completed within 365 days on receipt of the supply order.

19. Satisfactory completion certificate should be obtained for each installation from electrical inspectorate.

20. Bidders should be prepared to do necessary civil construction works associated with the installation if any required such as panel board fixing, pump house floor concreting, providing support to delivery pipe, cleaning of parakkuzhy if required etc. within the quoted amount.

21. Bidders are advised to visit the location of proposed installations before quoting.

22. The payment shall be released only after satisfying the quantity, quality and specifications of the items supplied and successful commissioning and trial run of the item supplied by the bidder and inspection of the technical committee constituted for the same.

23. A minimum warranty period of three years is to be assured for the pump-set and all the items supplied and the details of AMC thereafter, for a period of ten years should be mentioned along with the tender documents.

24. All annexure should be duly filled and uploaded with the tender.

25. Any legal disputes that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

Communications to be addressed to:

Director of Agriculture,
Agriculture Development and Farmers Welfare Department
Vikas Bhavan,
Thiruvananthapuram, Kerala, Pin : 695 033.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

(3)

നമ്പർ ADFW/9457/2023-TGII (2). 2025 ആഗസ്റ്റ് 20.

ഇ-ദർഘാസ് നമ്പർ—2025_ AGRI_783859_1.

സാധന സാമഗ്രികളുടെ പേരും എണ്ണവും—സബ്മേഴ്സിബിൾ വെർട്ടിക്കൽ ആക്സിയൽ ഫ്ളോ പമ്പ് സെറ്റ്—60 എണ്ണം.

ദർഘാസ് ഫോറത്തിന്റെ വില—₹ 2,52,000 + ₹ 45,360 (GST to GST Department).

നിരതദ്രവ്യം—₹ 12,60,000.

ഇ-ദർഘാസ് പ്രസിദ്ധീകരിക്കുന്ന തീയതിയും സമയവും—20-8-2025, 6 മണി.

ഇ-ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—20-9-2025, 3 മണി.

ഇ-ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—22-9-2025, 11 മണി.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

(E-tender ID : 2025_AGRI_783859_1)

No. ADFW/9457/2023-TG-II(2). *12th August 2025.*

Notice inviting E-tender for the supply, installation, trial run and commissioning of Submersible Vertical Axial Flow pump sets-60 Nos. under the NABARD RIDF XXX - Infrastructure development works for the Replacement of Petty and Para with Energy Efficient Pumps for De-watering Kuttanad Paddy Fields of Alappuzha, Kottayam and Pathanamthitta Districts of Kerala with prime mover, delivery line, panel board and all other accessories.

On behalf of Governor of Kerala E-tender in two cover system is invited from manufactures or their authorized dealers or authorized distributors or authorized supplier for the supply, installation, trial run and commissioning of submersible axial flow pump-sets and all other accessories with the following specification, by the Director of Agriculture, Thiruvananthapuram.

Supply, installation, testing, trial run and commissioning of Submersible Vertical Axial Flow Pump-set for various padashekarams of Alappuzha, Kottayam and Pathanamthitta districts with the specifications listed below:

Suitable for handling silty, fresh and salty water with rpm 1000 (Syn) or less. The material of construction of the casing, suction bell shall be CIFG 260 with 2% NICL, impeller CF8M (SS) with SS 316 shaft, vertical submerged column pipe should be of SS 304 and horizontal delivery pipe (varies from 4 to 10 m length as per site conditions) of SS 304 with 6 mm minimum thickness. A metallic non-corrosive strainer of mesh size not more than 50 mm x 50 mm should be fitted at mouth of suction column. Any hanging portion of the delivery pipe should be supported with suitable metallic supporting frames or RCC pillars of suitable size as per site requirements. The prime mover for the pump should be 3 phase, totally Enclosed Water- Cooled squirrel cage submersible induction motor of reputed make operating at 415V+/- 10%, 50Hz+/-5% connection with "F" class insulation, control panel must have dust and vermin proof vertical mounted cubical type panel board with FCMA soft starter of reputed make, MCCB including phase failure protection, surge protection devise, dry run protection, overload over current protection, thermal over load protection relay, earth fault relay, voltmeter, ammeter, fault indication start and stop switches, power factor correction capacitor etc. Wiring and earthing should be as per regulation and specification of KSEB and electrical inspectorate.

Separate cubical type energy meter panel of reputed make with CT metering provision including 4 Pole FN type isolator, RCCB, HRC fuses and carrier. Suitable size Copper cable for connection from electric post to meter box and meter panel to motor control panel etc. should be fitted at site, with proper earthing. Cable termination should be as per the regulations and specifications of KSEB and Electrical Inspectorate standards.

A screen with 6 mm GI welded mesh with 50 mm x 50 mm opening size, (about 20 sq.m area) framed in GI angles and GI tubes shall be fitted at the opening on top and sides of sump to prevent entry of unwanted materials to the pump through inflow water.

Rate quoted should be inclusive of all the charges for supply, installation including trial run and commissioning, all types of transportation and conveyance, loading and unloading charges, charges for factory testing, but excluding GST etc.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

Sl.No.	*Connected load*	*Head (M)*	*Discharge (lps)*	*Minimum overall efficiency at duty point*	*Alappuzha*	*Kottayam*	*Pathanamthitta*	*Total*
1	20	3.0	354	70	1	0	4	5
2	30	3.0	532	70	9	5	5	19
3	40	3.0	709	70	4	3	0	7
4	50	3.0	886	70	11	11	0	22
5	60	3.0	1064	70	3	3	0	6
6	70	3.0	1241	70	0	1	0	1
Total					28	23	9	60

In accordance with respective specification as shown in the tender documents, the tender is to be submitted as e-tenders through https://etenders.kerala.gov.in. Since this is an online process only those bidders who have enrolled in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender. E-tender document and other details can be obtained from the above portal. Details of locations of proposed installation and power availability at sites are appended.

EMD (online payment) - ₹ 12,60,000

Tender Fee (online payment + GST payment)–₹ 2,52,000 + ₹ 45,360 (GST to GST department)

Document sale start date and time–20-8-2025, 6.00 p. m.

Bid Submission start date and time–20-8-2025, 6.00 p. m.

Last date and time of receipt of e-tender–20-9-2025, 3.00 p. m.

Date and time of opening of technical bid–22-9-2025, 11.00 a. m.

Rate up to which the rate is to remain firm for acceptance—120 days

Performance Security- 5% of quoted amount

Period of Completion- 12 months

Bidders shall remit the tender document fee and EMD using the online payment option of e-procurement system. GST for tender fee should be paid directly to the GST department, and the Chelan must be uploaded with the bid document. Scanned copy of the preliminary agreement in the prescribed format in Kerala Stamp paper worth Rs. 200 should be submitted online and original to the undersigned before the opening of e-tender. The rate should be quoted in Indian Currency only. The rules and regulation prescribed for e- tenders by the Govt. of Kerala shall be applicable to this e-tender also. Tenders will be opened online in the presence of such bidders or their authorized representatives who have logged in at the prescribed time of opening. If the date fixed for opening happens to be a holiday or due to net failure the tenders will be opened in the next working day at the same time.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

In the bid, the following documents should be submitted online

1. BOQ duly filled uploaded in the e-tender portal.
2. Technical data sheet duly filled up and signed.
   a. If any more information to be furnished, separate data sheet shall be attached for additional information.
   b. Scanned copy of performance curve etc. should be attached.
3. E-payment form duly filled and signed.
4. Proof of original manufacturer/authorized dealers/distributor/supplier (copy of authorization letter).
5. Scanned copy of preliminary agreement executed in Kerala Stamp Paper worth ₹ 200.
6. EMD exemption certificate (if any) should be submitted online.
7. Form No.14 duly filled and signed.
8. Tender Notice and Special condition of Tender duly signed.
9. Schedules of rates for spare parts and services.
10. AMC for a period of ten years.
11. Experience Certificates.
12. Proof of payment of GST amount of tender fee.

General Requirements

1. The efficiency of the pumping unit supplied shall be as high as practicable, consistent with the best modern design.
2. The pump set shall be capable of operating in open conditions in the range without being overloaded at any point with a margin of at least 10% of power in the motor pump set over entire operating range.
3. The pump set characteristics shall be of stable nature such that the efficiency is fairly steady for the water level variations. The maximum efficiency point will be nearer to the duty point and fairly constant for larger range on either side. The pump sets should run smoothly over the entire operating range without cavitations and vibration. The variation in the efficiencies for any point of operation in the entire operating range should be minimum.
4. The pump set shall be suitable for pumping of raw/brackish/saline water containing silt, coarse sand and gravel/suspended solids up to 50 mm size.
5. The pump set shall be suitable for non-stop continuous 24 hours operation without interruption.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

6. The pump set shall be Axial Flow type with fixed blade angle according to the type used. The pump sets shall be comprised of suction bell mouth pump casing, impeller and motor on single common shaft, long life anti-friction bearing (drive and non-driving end), oil chamber with mechanical seals etc.

7. The supplier shall furnish the following documents:

    a. Final constructional drawings of the pump set.

    b. Operation, maintenance and spare parts manual for pump set.

    c. Weight of pump set and required minimum crane capacity.

    d. Material of casting certificate for pump components.

8. The pump set manufacturer has to declare the performance parameters separately as Guaranteed Performance Parameters. These shall include discharge, pump set efficiency and overall efficiency.

9. The manufacturer has to provide technical data as given in Annexure - I declaration of the product offered for the product they have quoted.

10. Bidders are permitted to submit only one make and model for each item. Quoting more than one make and model for a single item will result in the rejection of the technical bid.

Special Conditions

1. The firm must have a minimum of two years of experience in similar types of work.

2. The basic rate quoted should be inclusive of all charges for supply, installation, trial run, commissioning, transportation, handling charge etc., but excluding GST. Prevailing GST rate at the time of procurement will be applicable separately.

3. The firm has to supply the items at the location specified or as per direction from the undersigned.

4. The successful bidder will be bound to supply the items as per the requirement of the Tender Inviting Authority (TIA).

5. The bidders can quote, for all/any/some of the items as per their choice, but the cost of tender form and EMD remains the same.

6. Bidder has to pay the GST portion of tender fee directly to GST Department and upload the Challan in the portal and also submit along with the hardcopy of tender documents.

7. The Bidder should specify the Make and Model of pump set quoted.

8. The bidder must provide authorization letter (manufacturer/dealer/distributor/supplier) from the manufacturer.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

9. The supplier should confirm the repair and service facilities, availability of spare parts etc. of the items supplied for a minimum period of 10 years. The selected bidder should attend the pump set and rectify the trouble within 48 hours in case of registration of complaints.

10. The successful bidder receiving a supply order for 20 or more pumps shall establish a fully-fledged service centre in the Kuttanad region of Kerala within 180 days from the date of issue of the supply order.

11. The successful bidder shall arrange insurance for the supplied pumps against natural calamities and accidental damages and bear the annual premiums for the first three years. Thereafter, the respective Padashekhara Samithi receiving the pumps shall bear the subsequent premiums.

12. The most competitive cost of the AMC shall be quoted by the bidders for a period of 10 years, and the firm shall be bound to execute AMC contracts with the respective Padashekhara Samithi, if required.

13. Schedules of rates for spare parts and services should be submitted along with the bid documents.

14. Training programmes in operation and minor repair should be arranged for selected pump operators and Padasekhara samithi members (three times the number of pump sets supplied) and training programme on repair and maintenance should be arranged for selected technical persons (number equal to the number of pump-sets supplied) by the supplier at their own cost.

15. All pump set shall be subjected to performance test as per IS 9137 at manufacturer's work for different head, discharge and efficiency in presence of tender inviting authority or authorized persons.

16. The Tender Inviting Authority reserves the right to order full quantity of supply to any one bidder or distribute the supply to different bidders as per decision of the technical committee constituted for the purpose.

17. The successful bidder will have to execute an agreement in Kerala Stamp Paper worth ₹ 200 in prescribed form and manner and to furnish the required security amount @ 5% of total quoted amount within 14 days of the receipt of selection notice. The security deposit will be disbursed within 28 days after the successful completion of the Defect Liability Period of three years.

18. Tenders, incomplete in any respect, will be summarily rejected and the decision of the TIA will be final.

19. The Supply, installation, testing, trial run and commissioning should be completed within 365 days on receipt of the supply order.

20. Satisfactory completion certification should be submitted for each installation from electrical inspectorate.

21. Bidders should be prepared to do necessary civil construction works associated with the installation if any required such as Panel board fixing, pump house floor concreting, providing support to delivery pipe, cleaning of parakkuzhy (Sump) if required etc. within the quoted amount.

22. Bidders are advised to visit the location of proposed installations before quoting.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

23. The payment shall be released only after satisfying the quantity, quality and specifications of the items supplied and successful commissioning and trial run of the item supplied by the bidder and inspection of the technical committee constituted for the same.

24. A minimum warranty period of three years is to be assured for the pump-set and all the items supplied and the details of AMC thereafter, for a period of ten years should be mentioned along with the tender documents.

25. All annexure should be duly filled and uploaded with the tender.

26. Any legal disputes that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

Communications to be addressed to:

Director of Agriculture,
Agriculture Development and Farmers Welfare Department, Vikas Bhavan, Thiruvananthapuram, Kerala, Pin-695 033
saekerala@gmail.com

Directorate of Agriculture
Development and Farmers Welfare,
Vikas Bhavan, Thiruvananthapuram.

DR. SRIRAM VENKITARAMAN IAS,
Director.

PUBLISHED BY THE SUPERINTENDENT OF GOVERNMENT PRESSES
AT THE GOVERNMENT CENTRAL PRESS, THIRUVANANTHAPURAM, 2025.

This is a digitally signed Gazette.
Authenticity may be verified through https://compose.kerala.gov.in/

Digitally signed by VEERAN T
Date:2025.09.02 02:50:39 +05:30